EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	65	wireless network with bandwidth allocat$3	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/11/02 10:04
L2	0	1 and encrypt$3 key with certificate	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/11/02 09:19
L3	0	1 and encrypt$3 and certificate	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/11/02 09:19
L4	13	1 and billing	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/11/02 09:22
L5	0	wireless network with encrypt key with certificate	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/11/02 10:04
L6	1	wireless network with encrypt$3 key with certificate	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/11/02 10:05
L7	103	communicat$3 with encrypt$3 key with certificate	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/11/02 10:41
L8	0	7 and guest user	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/11/02 10:05
L9	0	7 and temporary encrypt$3	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/11/02 10:05
L10	15	communicat$3 with (dynamic or temporary or ephemeral) encryption key	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/11/02 10:48
L11	3	access control with (dynamic or temporary or ephemeral) access right	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/11/02 10:49
S1	99943	(user or client or entit$2 or send$3 or originat$3 or receiv$3 or recipient$3 or initiat$3) with (request$3 or inquir$3 or challeng$3 or invok$3) with (access$3 or authoriz$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/30 16:52

S2	14230	(acquir$3 or collect$3 or gather$3 or obtain$3 or extract$3 or deriv$3) with ((identificat$3 or ID or serial or device informat$3 or operating system or system)and (user informat$3 or user name or password or pin) and (polic$3 or right or access$3 restrict$3 or time))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/30 17:00
S3	2335	(verif$4 or prov$3 or determin$3) with (authenticat$3 or valid$5) with (user or client or entit$3 or send$3 or iniat$3 or originat$3) with (identificat$3 or serial)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/30 17:02
S4	1	S3 and ((authenticat$3 or valid$5) with (user or client or entit$3 or send$3 or iniat$3 or originat$3) with (identificat$3 or serial) with (authoriz$5 near access$3 list or access list or acl) with (encrypt$3 or encipher$3 or cipher$3) with (grant$3 or allow$3 or permit$4 or enabl$3) and (prevent$3 or den$4 or disallow$3 or disabl$3 or limit$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/30 17:10
S5	2	S3 and ((authenticat$3 or valid$5) with (user or client or entit$3 or send$3 or iniat$3 or originat$3) with (identificat$3 or serial) with (authoriz$5 near access$3 list or access list or acl) with (encrypt$3 or encipher$3 or cipher$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/30 17:11
S6	7	S3 and ((authenticat$3 or valid$5) with (user or client or entit$3 or send$3 or iniat$3 or originat$3) with (identificat$3 or serial) with (authoriz$5 near access$3 list or access list or acl))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/30 17:26
S7	3722	S1 and S2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/30 17:27

EAST Search History

S8	156	S7 and S3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/31 07:52
S9	1126	380/270	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/31 07:53
S10	101226	(user or recipient or originat$3 or entit$3 or send$3 or client or initiat$3) with (request$3 or inquir$3 or challeng$3 or invok$3 or prompt$3 or obtain$3 or demand$3) with (access$3 or authoriz$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/31 08:01
S11	0	S9 and((request$3 or inquir$3 or challeng$3 or invok$3 or prompt$3 or obtain$3 or demand$3) with (access$3 or authoriz$5) with (acquir$3 or collect$3 or gather$3 or obtain$3 or extract$3 or deriv$3 or prompt$3) with ((ID or identificat$3 or user name or password or pass phrase or PIN or secret or user information) and (serial or device information or operating system) and (polic$3 or right or time or restrict$3)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/31 08:08
S12	79	S9 and((request$3 or inquir$3 or challeng$3 or invok$3 or prompt$3 or obtain$3 or demand$3) with (access$3 or authoriz$5) with (acquir$3 or collect$3 or gather$3 or obtain$3 or extract$3 or deriv$3 or prompt$3) with ((ID or identificat$3 or user name or password or pass phrase or PIN or secret or user information) or (serial or device information or operating system) or(polic$3 or right or time or restrict$3)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/31 10:26

EAST Search History

S13	1544	S10 and((request$3 or inquir$3 or challeng$3 or invok$3 or prompt$3 or obtain$3 or demand$3) with (access$3 or authoriz$5) with(ID or identificat$3 or user name or password or pass phrase or PIN or secret or user information) or (serial or device information or operating system) or(polic$3 or right or time or restrict$3)) with (verif$4 or prov$3) with (authenticat$3 or validat$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/31 10:29
S14	36	S13 and((verif$4 or prov$3) with (authenticat$3 or validat$5) with (allow$3 or enabl$3 or permit$4 or prevent$3 or limit$4 orprohibit$3 or inhibit$3) with (encrypt$3 or encipher$3 or cipher$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/31 10:32

| S15 | 102 | US-1031689-$.DID. OR
US-5513245-$.DID. OR
US-5548721-$.DID. OR
US-5564016-$.DID. OR
US-5604490-$.DID. OR
US-5619657-$.DID. OR
US-5633931-$.DID. OR
US-5699513-$.DID. OR
US-5720035-$.DID. OR
US-5745555-$.DID. OR
US-5784463-$.DID. OR
US-5787177-$.DID. OR
US-5802510-$.DID. OR
US-5818936-$.DID. OR
US-5819047-$.DID. OR
US-5825877-$.DID. OR
US-5828893-$.DID. OR
US-5857024-$.DID. OR
US-5862480-$.DID. OR
US-5870474-$.DID. OR
US-5870475-$.DID. OR
US-5889866-$.DID. OR
US-5896499-$.DID. OR
US-5899991-$.DID. OR
US-5907602-$.DID. OR
US-5919257-$.DID. OR
US-5940589-$.DID. OR
US-5943423-$.DID. OR
US-5950195-$.DID. OR
US-5956715-$.DID. OR
US-5960085-$.DID. OR
US-5968176-$.DID. OR
US-5971272-$.DID. OR
US-5974149-$.DID. OR
US-5974549-$.DID. OR
US-5978475-$.DID. OR
US-5978918-$.DID. OR
US-5996077-$.DID. OR
US-6061346-$.DID. OR
US-6070243-$.DID. OR
US-6076167-$.DID. OR
US-6081601-$.DID. OR
US-6081900-$.DID. OR
US-6085084-$.DID. OR
US-6088451-$.DID. OR
US-6094487-$.DID. OR
US-6135646-$.DID. OR
US-6148205-$.DID. OR
US-6148405-$.DID. OR
US-6154543-$.DID. OR
US-6154843-$.DID. | USPAT;
USOCR;
FPRS;
EPO; JPO;
DERWENT;
IBM_TDB | ADJ | ON | 2007/10/31 11:21 |

| S16 | 98 | S15 and (encrypt$3 or encipher$3 or cipher$3 or automatic$5 or instal$4 or software or verif$4 or receiv$3 or send$3 or retreiv$3 or grant$3 or den$4 or allow$3 or prevent$3 or prohibit$3 or request$3 or prompt$3 or compar$3 wireless or network access$3 or right or polic$3 or bil$4 or secur$4) | USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/31 11:27 |

| S17 | 65 | US-6236852-$.DID. OR
US-20070098176-$.DID. OR
US-6230002-$.DID. OR
US-5467382-$.DID. OR
US-5708710-$.DID. OR
US-6041327-$.DID. OR
US-6259782-$.DID. OR
US-6865680-$.DID. OR
US-7010305-$.DID. OR
US-7065067-$.DID. OR
US-7203752-$.DID. OR
US-20010048744-$.DID. OR
US-20030023726-$.DID. OR
US-20030091013-$.DID. OR
US-20040076120-$.DID. OR
US-20040105416-$.DID. OR
US-20040107360-$.DID. OR
US-20040218587-$.DID. OR
US-20040255112-$.DID. OR
US-20040267664-$.DID. OR
US-20050207378-$.DID. OR
US-20050254652-$.DID. OR
US-20050286489-$.DID. OR
US-20060019635-$.DID. OR
US-20060064589-$.DID. OR
US-20060095962-$.DID. OR
US-20060104234-$.DID. OR
US-20060111082-$.DID. OR
US-20060126584-$.DID. OR
US-20060137005-$.DID. OR
US-20060171382-$.DID. OR
US-20060233375-$.DID. OR
US-20060251008-$.DID. OR
US-20060251258-$.DID. OR
US-20060271785-$.DID. OR
US-20070022469-$.DID. OR
US-20070025302-$.DID. OR
US-20070043676-$.DID. OR
US-20070155365-$.DID. OR
US-20070217427-$.DID. OR
US-5457737-$.DID. OR
US-6001052-$.DID. OR
US-6332133-$.DID. OR
US-6643504-$.DID. OR
US-7103347-$.DID. OR
US-20040053600-$.DID. OR
US-20050136892-$.DID. OR
US-20050277420-$.DID. OR
US-20060135155-$.DID. OR
US-20060179307-$.DID. | USPAT;
USOCR;
FPRS;
EPO; JPO;
DERWENT;
IBM_TDB | ADJ | ON | 2007/10/31 15:56 |

S18	239	(secure or safe or protect$3 or private) with (wireless or bluetooth) with (communicat$3 or connect$3) with authenticat$3	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/31 16:18
S19	13	S18 and S9	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/31 17:14
S20	3983	713/150 or 713/155 or 713/156 or 713/171 or 726/1 or 726/2 or 726/3 or 726/5 or 726/8 or 726/20 or 726/27	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/31 17:16
S21	22	S18 and S20 not S19	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/31 17:40
S22	1	S18 and (access$3 right or polic$3) with (authoriz$3 list or unauthoriz3 or access$3 control list or list)	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/31 17:52
S23	87	S18 and ((prompt$3 or rquest$3 or collect$3 or extract$3 or deriv$3 or obtain$3) with (serial number or ID or user name or password or device ID or information or Pin or key or secret))	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/01 10:53
S24	0	(secure with wireless with(connect$3 or communicat$3) with (authenticat$3) with (name or password or secret key or PIN or pass phrase or pas code) and (serial or device Id or device identifica$3 or address or IP)) with (request$3 or prompt$3 or collect$3 or gather$3 or inquir$3 or acquir$3)	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/01 11:00

S25	5	(secure with wireless with(connect$3 or communicat$3) with (authenticat$3) with (name or password or secret key or PIN or pass phrase or pas code) and (serial or device Id or device identifica$3 or address or IP))	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/01 11:00
S26	100	(secure with (connect$3 or communicat$3) with (authenticat$3) with (name or password or secret key or PIN or pass phrase or pas code) and (serial or device Id or device identifica$3 or address or IP))	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/01 11:29
S27	13	(secure with(connect$3 or communicat$3) with (authenticat$3) with (name or password or secret key or PIN or pass phrase or pas code) and (serial or device Id or device identifica$3 or address or IP)) with (request$3 or prompt$3 or collect$3 or gather$3 or inquir$3 or acquir$3)	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/01 11:00
S28	853	authenticat$3 with (name or password or secret key or PIN or pass phrase or pass code or user credential or user informat$3) and (serial or device Id or device identifica$3 or address or IP or device information) same (compar$3 or match$3 or coincid$3 or determin$3 or aggr$3) with (allow$3 or den$4 or prohibit$3 or inhibit$3 or enabl$3 or prevent$3 or limit$4 or restrict$3)	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/01 12:48
S29	31	S28 and((compar$3 or match$3 or coincid$3 or determin$3 or aggr$3) with (allow$3 or den$4 or prohibit$3 or inhibit$3 or enabl$3 or prevent$3 or limit$4 or restrict$3) with (verif$4 or determin$3 or identif$4) with authenticat$3 same (stor$3 or memory))	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/01 12:54
S30	9	"20010041556".pn. or "6732105". pn. or "6701522".pn. or "6085084". pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/01 13:41

S31	20	("5159592" | "5559800" | "5594910" | "5715387" | "5727202" | "5778176" | "5790974" | "5802312" | "5915095" | "5961590" | "5964830" | "6023078" | "6076109" | "6151677" | "6157935" | "6166734" | "6167441" | "6330618" | "6396482").PN. OR ("6701522"). URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/11/01 14:48
S32	90	access$3 with request$3 with (user credential or user name or password and Id or identificaton) same automatic$5	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/11/01 16:27
S33	11	access$3 with authenticat$3 with list near (authoriz$5 or allow$3 or disallow$3 or block$3 or grant$3 or den$4) with (memory or stor$3)	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/11/01 18:26
S34	1	"6898628".pn.	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/11/02 09:17